



We put gas springs
in movement



Easy **R**elease **M**odular **S**ystem

ERMS



Felix-Wankel-Strasse 8-10
D - 74915 Waibstadt
Germany

E-mail
Internet
Phone
Fax

info@awp-gmbh.com
www.awp-gmbh.com
+49 (0) 7263 40971-0
+49 (0) 7263 40971-29

BUILT-IN PUSHBUTTON PICTURE OVERVIEW



BUILT-IN PUSHBUTTONS

BUILT-IN PUSHBUTTONS OVERVIEW



installation dimensions : [see page 11](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-201613H




installation dimensions : [see page 12](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-221613H



installation dimensions : [see page 13](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-221630P



BUILT-IN PUSHBUTTONS

BUILT-IN PUSHBUTTONS OVERVIEW



installation dimensions : [see page 17](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request

 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924F



installation dimensions : [see page 18](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request

 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924HH



installation dimensions : [see page 19](#)
 material casing/pushbutton : aluminium/plastic
 exclusive model : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request

 colour of pushbutton : black, red, white
 more colours on request

 exclusive model : anodized aluminium
 black or natural,
 more colours on request

 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force
 on pushbutton : 800 gramme
 length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924H



BUILT-IN PUSHBUTTONS

BUILT-IN PUSHBUTTONS OVERVIEW

installation dimensions : [see page 20](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924F



installation dimensions : [see page 21](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924HH



installation dimensions : [see page 22](#)
material casing/pushbutton : aluminium/plastic
exclusive model : aluminium/aluminium
colour of casing : anodized aluminium
black or natural,
more colours on request
colour of pushbutton : black, red, white
more colours on request
exclusive model : anodized aluminium
black or natural,
more colours on request
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force
on pushbutton : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924H




BUILT-IN PUSHBUTTONS CHROME OVERVIEW



installation dimensions : [see page 14](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924F-
CHROM



installation dimensions : [see page 15](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924HH-
CHROM



installation dimensions : [see page 16](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924H-
CHROM



BUILT-IN PUSHBUTTONS CHROME OVERVIEW



installation dimensions : [see page 17](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924F-
CHROM



installation dimensions : [see page 18](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924HH-
CHROM



installation dimensions : [see page 19](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924H-
CHROM



BUILT-IN PUSHBUTTONS CHROME

BUILT-IN PUSHBUTTONS CHROME OVERVIEW

installation dimensions : [see page 20](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924F-
CHROM



installation dimensions : [see page 21](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924HH-
CHROM



installation dimensions : [see page 22](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924H-
CHROM



BUILT-IN PUSHBUTTONS CHROME OVERVIEW



installation dimensions : [see page 11](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-201613H-
CHROM




installation dimensions : [see page 12](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-221613H-
CHROM




MOUNTING DIMENSIONS EBT-201613H




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-221613H




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-221630P




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-322924F




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-322924HH




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-322924H




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924F




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924HH




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924H




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924F




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924HH



dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924H



dimensions in mm / we reserve the right to make modifications

CORNER BUILT-IN PUSHBUTTON OVERVIEW

installation dimensions	: see page 40
material casing/pushbutton	: aluminium/aluminium
colour of casing	: anodized aluminium: black or natural, more colours on request
colour of pushbutton	: anodized aluminium: black or natural, more colours on request
distance to actuate	: 6 mm
transmission	: 1:2
controllable gas springs	: 1
max. cable force	
on pushbutton	: 400 gramme
length of bowden wire	: 25/50/75/100/125/150 cm

order description: EBT-282218HH-W



CORNER BUILT-IN PUSHBUTTON CHROME OVERVIEW



installation dimensions : [see page 31](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924F-W-
CHROM



installation dimensions : [see page 32](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924HH-W-
CHROM



installation dimensions : [see page 33](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-322924H-W-
CHROM



CORNER BUILT-IN PUSHBUTTON CHROME OVERVIEW



installation dimensions : [see page 34](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924F-W-
CHROM



installation dimensions : [see page 35](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924HH-W-
CHROM



installation dimensions : [see page 36](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-332924H-W-
CHROM



CORNER BUILT-IN PUSHBUTTON CHROME OVERVIEW



installation dimensions : [see page 37](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924F-W-
CHROM



installation dimensions : [see page 38](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924HH-W-
CHROM



installation dimensions : [see page 39](#)
material casing/pushbutton : aluminium / aluminium
colour of casing : chrome
colour of pushbutton : chrome
distance to actuate : 11 mm
transmission : 1:1
controllable gas springs : 1
max. cable force on button : 800 gramme
length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-392924H-W-
CHROM




CORNER BUILT-IN PUSHBUTTON CHROME OVERVIEW




installation dimensions	: see page 40
material casing/pushbutton	: aluminium / aluminium
colour of casing	: chrome
colour of pushbutton	: chrome
distance to actuate	: 6 mm
transmission	: 1:2
controllable gas springs	: 1
max. cable force on button	: 400 gramme
length of bowden wire	: 25/50/75/100/125/150 cm

order description: EBT-282218HH-W-
CHROM




MOUNTING DIMENSIONS EBT-322924F-W





dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-322924HH-W




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-322924H-W





dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924F-W




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924HH-W





dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-332924H-W





dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924F-W





dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924HH-W



dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-392924H-W



dimensions in mm / we reserve the right to make modifications

SPECIAL BUILT-IN PUSHBUTTONS OVERVIEW

installation dimensions : [see page 42](#)
 material casing/pushbutton : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request
 colour of pushbutton : anodized aluminium:
 black or natural,
 more colours on request
 distance to actuate : 11 mm
 transmission : 1:1
 controllable gas springs : 1
 max. cable force : 800 gramme
 on pushbutton
 length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-252017H-M4




installation dimensions : [see page 43](#)
 material casing/pushbutton : aluminium/aluminium
 colour of casing : anodized aluminium
 black or natural,
 more colours on request
 colour of pushbutton : anodized aluminium:
 black or natural,
 more colours on request
 distance to actuate : 11 mm
 transmission : 1:2
 controllable gas springs : 1
 max. cable force : 400 gramme
 on pushbutton
 length of bowden wire : 25/50/75/100/125/150 cm

order description: EBT-282230HH-W




MOUNTING DIMENSIONS EBT-2822 18HH-W




dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-252017H-M4



dimensions in mm / we reserve the right to make modifications

MOUNTING DIMENSIONS EBT-282230HH-W



dimensions in mm / we reserve the right to make modifications

PRICE INQUIRY

Fax-Number +49 (0) 7263 40971-29

Company:

Mrs./Mr.: Phone-No.:

Street: Fax-No.:

Postcode/City: Email:

Country: Internet:

<i>order description</i>	<i>colour of casing</i>	<i>colour of pushbutton</i>	<i>length of bowden wire</i>	<i>annual requirement</i>
e.g. EBT-392924F	9006	9005	0500	1500

Date: Signature:

ORDER

Fax-Number +49 (0) 7263 40971-29

Company:
 Mrs./Mr.: Phone-No.:
 Street: Fax-No.:
 Postcode/City: Email:
 Country: Internet:

order description	colour of casing	colour of pushbutton	length of bowden wire	annual requirement	retrieval lot size
e.g. EBT-392924F	9006	9005	0500	1500	250

Date: Signature: